



SAFETY DATA SHEET

Issuing Date 4-Dec-2014

Revision Date 1-Jan-2020

Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE

GHS product identifier

Product Name

Part numbers with LAPC prefix. or 90132P or 90132G or 90219P. Exm. LAPC-081653

Other means of identification

Synonyms

PRODUCT IDENTIFIER SDS079

Recommended use of the chemical and restrictions on use

Recommended Use

Process Paste for Lapping

Uses advised against

No information available

Supplier's details

Supplier Address

Sunnen Products 7910 Manchester Saint Louis, MO 63143 314-781-2100

Website: www.sunnen.com

Emergency telephone number

Emergency Telephone

Number

1 (314) 781-2100 8 a. m. - 3 p.m. C.S.T (US)

Email: SDS@sunnen.com

2. HAZARDS IDENTIFICATION

Classification

Not classified

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

The product contains no substances which at their given concentration are considered to be hazardous to health.

Appearance Solid/Paste

Physical State Paste

Odor Oily

Precautionary Statements

Prevention

- None

General Advice

- None

Storage

- None

Disposal

- None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Skin or eye contact may cause irritation.

84% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

PRODUCT IDENTIFIER SDS079

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum distillates,	64742-53-6	*	*
White mineral oil	8042-47-5	*	*
Diamond	7782-40-3	*	*
Aluminum Oxide	1344-28-1	*	*
Titanium Dioxide	13463-67-7	*	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation persists.

Skin Contact Wash skin with soap and water. Get medical attention if irritation persists. Remove and wash contaminated clothing before re-use.

Inhalation Move to fresh air in case of accidental inhalation of vapors. Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician immediately.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information found.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CO₂, Dry Chemical, Foam

Unsuitable Extinguishing Media water spray

Specific Hazards Arising from the Chemical

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear appropriate protective clothing. Wash thoroughly after handling.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Dike far ahead of spill for later disposal.

Methods for Cleaning Up Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Use only in ventilated areas. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Avoid wearing clothing soaked with fluid. Remove and wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Store locked up.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines Using proper engineering controls (local ventilation) normal lapping operations should not generate mists or dusts at the operator's breathing zone. This product could be considered a metalworking fluid (MWFs). Currently two OSHA air contaminant permissible exposure limits apply to MWFs. They are 5 mg/m³ for an 8 hr. time weighted average (TWA) for mineral oil mist and 15 mg/m³ (8hr. TWA) for Particulates Not Otherwise Classified (PNOC) [applicable to all other metalworking fluids].

The American Conference of Governmental Industrial Hygienists (ACGIH) threshold limit value (TLV) for mineral oil is 5 mg/m³ for an 8 hr. TWA and 10 mg/m³ for a 15 minute short term exposure limit (STEL).

In 1998, The National Institute for Occupational Safety and Health (NIOSH) published a criteria document which recommended an exposure level (REL) for MWF aerosols of 0.4 mg/m³ for thoracic particulate mass as a TWA concentration for 10 hours per day during a 40 hr. work week. Because of the limited availability of thoracic samplers, measurement of total particulate mass is an acceptable substitute. The thoracic particulate value corresponds to 0.5 mg/m³ for total particulate mass.

In 1999, the OSHA Metalworking Fluids Standards Advisory Committee recommended a new 8 hr. TWA PEL of 0.4 mg/m³ thoracic particulate (0.5 mg/m³ total particulate).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light naphthenic 64742-52-5	5 mg/m ³ (as oil mist) 2 mg/m ³ (inhalable)	5 mg/m ³ (as oil mist)	N
White mineral oil 8042-47-5	5 mg/m ³ (as oil mist) 2 mg/m ³ (inhalable)	5 mg/m ³ (as oil mist)	N
Diamond 7782-40-3	10 mg/m ³ TWA (inhalable particles, recommended); 3 mg/m ³ TWA (respirable particles, recommended).	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	N
Aluminum Oxide 1344-28-1	10 mg/m ³ TWA (inhalable particles, recommended); 3 mg/m ³ TWA (respirable particles, recommended).	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	N
Titanium Dioxide 13463-67-7	10 mg/m ³ TWA (inhalable particles, recommended); 3 mg/m ³ TWA (respirable particles, recommended).	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	N

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation. Local ventilation is required. Do not operate machine in an unventilated area. Use local ventilation if strong odors or oil mist is detected.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

Skin and Body Protection

Skin protection is not normally required for short exposures when operating machine. If any symptoms of skin irritation are experienced, use protective gloves to avoid exposure.

Respiratory Protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory

Hygiene Measures

Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid / Paste	Appearance	
Odor	Oily	Odor Threshold	No information

Property

Values

pH	No data available
Melting Point/Range	No data available
Boiling Point/Range	No data available
Flash Point	>370°F
Evaporation rate	No data available
Flammability (solid,gas)	No data available
Flammability Limits in Air	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	No data available

Water Solubility	Partial
Solubility in other solvents	Partial
Partion coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
flammable Properties	No data available
Explosive Properties	No data available
Oxidizing Properties	No data available
Other Information	No data available
VOC Content	No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Avoid accumulation of contaminated towels, rags or other insulating absorbent fibrous media.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides. Sulfur oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation None under normal use conditions.

Eye Contact May cause irritation. Oil mists containing small metal filings may cause mechanical irritation.

Skin Contact May irritate the skin.

Ingestion Not an expected route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The classification listed below for the petroleum distillates in this product pertains to those that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated light naphthenic	A2	Group 1		X
Titanium Dioxide		Group 2B		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B Possibly Carcinogenic to Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product

Acute Toxicity 21% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		LC50 96 h: >5000mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)

The environmental impact of this product has not been fully investigated.

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Petroleum distillates, hydrotreated light naphthenic	> 3.5

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard No

Chronic Health Hazard No

Fire Hazard No

Sudden Release of Pressure Hazard No

Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product may contain small amounts of Titanium Dioxide. Titanium Dioxide is a chemical known to the state of California to cause cancer or birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated light naphthenic		X	

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazard 0 Flammability 1 Instability 0 Physical and Chemical Hazards -

HMIS

Health Hazard 0

Flammability 1

Physical Hazard 0

Personal Protection B safety glasses/gloves

Prepared By C. Korn

Revision Date Original 4-Dec-2014

Revision Note No information available.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.